KITCHEN EQUIPMENT

Economical Mobile Heated Cabinets

Hold and transport hot, prepared foods Ideal for all your Food Service Needs!

NSF (

MOBILE HEATED CABINET SPECIFICATIONS

- Heavy-duty, channel construction designed for durability. Easy to clean.
- · Air baffle and circulating air blower provide even heat distribution.
- 5" polyurethane plate casters for easy maneuverability and stability.
 Two locking casters in front.
- Easy dual proof/heat control: "Proof" mode: Humidity from 30% to 95%.
 Temperatures up to 115°F (46°C).
 "Heat" mode: Nominal Temperatures up to 180°F (82°C)
- · Corner bumpers provide protection to unit, associates and fixtures.
- Clear door. Extruded, anodized aluminum frame will not dull. A tight fit gasket is installed on inside door frame, held closed with magnets, Lexan fits tightly into door fram.
- · Door lifts off for easy cleaning and accessibility.
- · Control drawer is removable for quick and easy cleaning and maintenance.
- · All contols are accessible without opening cabinet door.
- Easy to read LED thermometer. Pan Capacity: 36 18"x26" pans

Electrical Specifications:

- 120 Volt–60 Cycle A.C.
- 1440 Watts: 14.0 AMPS—Plug into any standard 110 outlet.

MODEL NUMBER	DOOR	WIDTH	LENGTH	HEIGHT	APPROX. WT.
NHPL-1836-ECO	Clear	21	30¾	68	235
NHPL-1836-Standard	Clear	21	30¾	68	235



Call Westex For Pricing!


WESTEX All Welded Front- and Side-Load Wire Bun Pan Racks

- Aluminum Construction
- Welded angle pan slides will accommodate 18x26" pans
- Constructed from sanitary 1" square tube

Model	Spacing/Capacity	Н	W	D	Weight
401AC	FL 3"/20 Pans	701/4"	201/2"	26"	34
411AC	SL 3"/20 Pans	701/4"	28½"	17"	30

\$249⁹⁵ each

Pan Rack Covers Available






COOLERS & FOUNTAINS

HALSEY TAYLOR® Water Coolers and Drinking Fountains

Lead Free

CFC Free



- Exclusive! Halsey Taylor Double Bubbler projector
- Easy-clean anti-slash rim Receptor
- Glass filler and foot pedal field kits available

Model	Rated GPH Cooled to 50°F	Condenser Cooler	Watt Usage	F.L.	Ship Wt
SCWT-14A-Q	14.0	Air	690	7.5	76 lbs.

Bracket Fountains


Call Westex For Pricing!



- Automatic Stream Regulator
- Pushbutton single stream bubbler
- Satin finish stainless steel receptor
- Chrome plated exposed fittings
- Removable chrome plated strainer
- 10" W x 6" D x 3" H receptor

4540

- Automatic Stream Control
- Exclusive! Halsey Taylor Double BubblerTM
- Satin finish stainless steel receptor
- Self-closing lever handle stop
- Chrome plated exposed fittings
- Removable chrome plated strainer
- 10" W x 6" D x 3" H receptor



1/4" NPT Supply 2509 3/8" NPT Supply


- Double Bubbler projector
- Chrome plated fittings Self closing lever handle valve
- Removable shutoff seat
- Volume regulator
- Hood guard

3041 3/8" NPT Supply

- Chrome plated
- Single-stream angle jet projector
- Self closing pushbutton shutoff
- Integral automatic stream regulator

Call Westex For Pricing!

SCOTSMAN ICE MACHINES



ALL STAINLESS EXTERIOR*

- The world's largest ice machine manufacturer
- Largest service network in the industry
- 3 Year parts & labor warranty
- 5 Year compressor warranty
- Available in sizes for all needs

All of our Scotsmen Ice Machines feature:

New Design Concept

- No moving parts in icemaking section
- Field tested, proven reliability
- Cubes are made on both sides of the evaporator plate

- Convenient front service for cleaning, maintenance and adjustments
- All electrical and plumbing hook-ups are external on rear panel

The Contour Cube Shape - Handling Ease

- No splashing, pour by hand or gun without spills
- Highest possible displacement-nestling characteristics of Contour Cubes™ completely fill the glass
- Self-leveling cubes make maximum use of storage area

Quality Assurance

Start-up of every CO Contour Cuber™ is conducted before shipping, to insure that all mechanical systems perform properly.

Population	Model #	Capacity (24 Hours)	Dimensions H X W X D
200-275	CO330	300 lbs.	54 X 30 X 31
275-400	CO530	500 lbs.	67 X 30 X 34
425-575	CO630	600 lbs.	67 X 30 X 34

Other sizes available upon request.

Call Westex For Pricing!



RANGES

- ROBUST Heavy Duty Construction 31 lb. one piece cast iron open tops
- Superior DURABILITY Fully welded angle iron frame
- INCREDIBLY RELIABLE Ovens. Exclusive front venting for consistently reliable temperatures
- PROTECTIVE
 Heat Barrier Assures even heat...prevents oven cold spots
- GRIZZLY TOUGH
 Oven Door Defies
 Constant Daily Abuse.
 Built to drop open or
 kick closed
- Greater Cooking FLEXIBILITY Design your cooktop to fit your menu



Call Westex For Pricing!

"Built To Last"



REFRIGERATORS / FREEZERS

WESTEX Reach In Refrigerators/Freezers

STANDARD FEATURES:

- 1, 2, or 3 door models. 3, 6, and 9 shelves
- Digitally controlled temperature
- LEDdisplay temperature reading
- Stainless steel bottom surface. Aluminum wall construction
- Efficient refrigeration system
- CFC Free
- Freezer holds -10°F / Refrigerator hold 33–38°F1
- · Recessed handles
- UL Certified for NSF7
- 2-year parts & labor
- 5-year compressor

Call Westex For Pricing!





WESTEX

20 Virginia Rd., Box 308 N. White Plains, NY 10603

ADDRESS SERVICE REQUESTED

PRSRT STD U.S. POSTAGE PAID L.I.C. NY 11101 PERMIT NO. 1018

VISIT US ONLINE: www.westexsupplies.com

Call Today And Ask For Our Complete Catalog! 1-800-548-6785

Westex Charcoal-Fired Grill

Big enough and rugged enough to feed large gatherings yet light enough to be transported.



- 72" L x 28" W x 38" H (225 lbs.)
- Firebox is 12 gauge steel—3/16" thick
- · 5" casters

L.P. FIRED GAS GRILL AVAILABLE



WESTEX Single, Double, & Triple Tub Sinks HIGH QUALITY • COMPETITIVELY PRICED AVAILABLE WITH OR WITHOUT DRAIN BOARDS

- · Body, Bowls, and Drainboards are full 16 gauge stainless steel.
- · Full 14" water depth.
- · All units manufactured with the "Westex" Safety Edge.
- NFS Approved.

NSF SINKS WITH DRAINBOARDS

NUMBER OF COMPT.	COMPT. SIZE	UNIT O.D.
ONE	21 x 16	27 x 38
TWO	21 x 16	27 x 53
	21 x 16	27 x 71
	24 x 24	30 x 99
THREE	21 x 16	27 x 70
	21 x 16	27 x 87
	21 x 16	27 x 99
	21 x 18	27 x 93
	21 x 18	27 x 105
	24 x 24	30 x 100
	24 x 24	30 x 123
	30 x 20	36 x 103





Triple Tub Sink

NUMBER OF COMPT.	COMPT. SIZE	UNIT O.D.
ONE	18 x 18	21.5 x 21
ONE	24 x 24	27.5 x 27
TWO	21 x 16	27.5 x 37
	24 x 24	30.5 x 55
THREE	21 x 16	27.5 x 53
	21 x 18	27.5 x 59
	24 x 24	30.5 x 77
	30 x 20	36.5 x 65